GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Tribal Welfare Department – Tribal Sub Plan 2016-17 – Providing Drinking Water facilities to the Chenchus living in Chenchugudems of Kurnool, Prakasam and Guntur Districts with an amount of Rs. 1112.20 lakhs – Administrative Sanction – Orders – Issued.

TRIBAL WELFARE (BUD) DEPARTMENT

G.O.RT.No. 25 **Dated: 24-01-2017**

Read the following:-

1. Minutes of the 14th Nodal Agency meeting, dt.7-9-2016.
2. Act No.1 of 2013, dt.24-1-2013.
3. From the Director of Tribal Welfare vide Lr.No.L1/2992/2016, Dt. 29-12-2016.

***

O R D E R:

In the reference 1st read above, 14th Nodal Agency for TSP vide Resolution No.42/2016 has reviewed the proposal of the Project Officer, ITDA, Srisailam for providing drinking water facilities to the chenchugudems of Kurnool, Prakasam and Guntur districts and agreed for sanction of the proposals with an amount of Rs.1120.20 lakhs and recommended to the State Council for Development of SC/STs.

2. The Government of Andhra Pradesh has enacted "The Andhra Pradesh Scheduled Castes Sub Plan and Tribal Sub Plan (Planning, Allocation and Utilization of Financial Resources) Act, 2013 (Act No.1 of 2013).

3. The Act is to ensure, accelerated development of Scheduled Castes (SC) and Scheduled Tribes (ST) with emphasis on achieving equality in the next ten years focussing on economic, educational and human development along with ensuring security, social dignity and promoting equality among Scheduled Castes and Scheduled Tribes, by earmarking a portion, in proportion to the population of Scheduled Castes and Scheduled Tribes in the State, of the total plan outlay of the State of Andhra Pradesh, as the outlay of the Scheduled Castes Sub Plan (SCSP) / Tribal Sub Plan (TSP) of the State.

4. The Tribal Welfare Department aimed to develop a good infrastructure in all tribal areas for the benefit of the STs. In that direction Tribal Welfare Department has taken up several measures to strengthen the infrastructure in all tribal areas including providing drinking water.

5. In the reference 3rd read above, the Director of Tribal Welfare has informed that the Chief Engineer, RWS&S Department stated that the allocation under NRDWP TSP of Rs.21.28cr. the work load for the ongoing works is Rs.21.86 cr and as it is difficult to accommodate Rs.11.20 cr. works in the present year budget.

6. She has further informed that during the internal review meeting held with the Heads of Departments on 29-11-2016, the Engineering Department has informed that they could incur an expenditure of Rs.30.00 cr. under the Head of Account "Educational Infrastructure" i.e., Rs.4225-02-277-11-83-530-531. Accordingly, the Hon'ble Minister for TWE and Chairman, Nodal Agency directed to re-appropriate the funds and release funds to the project Officer,ITDA,Srisailam instead of RWS department. However the component of providing water through tankers is not come under the purview of Capital Head of Account and based on the detailed locations furnished with estimate from Enc, TW, the proposal for administrative sanction is restricted to Rs.1112.20 lakhs.

7. She has requested to accord administrative sanction for an amount of Rs.1112.20 lakhs for providing drinking water facilities to the chenchugudems of Kurnool, Prakasam and Guntur districts at an early date.

8. Government after careful examination of the matter and hereby accord administrative sanction for providing drinking water facilities to the chenchugudems of Kurnool, Prakasam and Guntur districts as mentioned in Annexure appended to this order with an estimated cost of Rs.1112.20 lakhs (Rupees Eleven Crores Twelve Lakhs and Twenty Thousand) under Education Infrastructure, subject to the ratification by the State Council for Development of SCs/STs by re-appropriate the funds and release funds to the Project Officer, ITDA, Srisailam instead of RWS Department.

9. The expenditure towards providing drinking water facilities to the Chenchus living in Chenchugudems of Kurnool, Prakasam and Guntur Districts shall be debited to the following head of account:-

"4225-Capital Outlay on Welfare of SC, STs & OBCs
02 - Welfare of Scheduled Tribes
MH 277 - Education
GH-11 - State Development Plan
SH (83) - Education Infrastructure
530/ 531-Other Expenditure (Plan)"

10. The Director, Tribal Welfare, Project Officer, ITDA, Srisailam and the Engineer-in-Chief, TW shall take further necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.P.SISODIA
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Director of Tribal Welfare, A.P. Vijayawada.
The Engineer-in-Chief, TW, AP, Vijayawada.
The Project Officer of ITDA, Srisailam.
The Executive Engineer of TW, Srisailam.
Copy to:
The Special Secretary to Hon'ble Chief Minister, AP, Amaravathi.
The Spl.Chief Secretary, Planning Dept.
The P.S. to Minister (SWE & TWE).
The Accountant General, A.P., Hyderabad.
The Pay and Accounts Officer, A.P., Vijayawada.
The Director of Treasuries and Accounts, AP, Vijawada.
The District Collectors of Kurnool, Guntur and Prakasam.
SF/SCs.

// FORWARDED :: BY ORDER //

SECTION OFFICER

Annexure to G.O.Rt.No.25, T.W.(Bud) Dept., dt.24-01-2017 ABSTRACT

Sl.No.	Name of the District	Total ST Population	No of Chenchu habitations covered mandals	No of habitations covered	Estimate Cost Rs.in Lakhs
1	Guntur	5764	6	43	218.80
2	Prakasam	11084	7	71	705.00
3	Kurnool	3717	14	17	188.40
	TOTAL :	**20565**	**27**	**131**	**1112.20**

R.P.SISODIA
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER

Annexure to G.O.Rt.No.25 , T.W.(Bud) Dept., dt.24-01-2017
Providing Drinking Water Facilities to the chenchus living in chenchugudems of Prakasam, Kurnool and Guntur districts

Sl. No.	Mandal	Village (Scheduled / Non Scheduled)	Village / Habitation code	Total Population	ST Population	Present coverage				Proposed coverage cost (Rs.in Lakhs)			Remarks
						Multi village Scheme	Single Village Scheme	Open well / Bore well	Hill Streeam	Multi village scheme	Single village scheme/ Item		
1	**2**	**3**	**4**	**5**	**6**	**7(A)**	**7(B)**	**7(C)**	**7(D)**	**8(A)**	**8(B)**		**9**
	GUNTUR												
1	Durgi	Adigoppula		126	126	N	Y	N	N	0	6.00	New Source, Motor, Pumping Main and GLSR	
2	Durgi	Kakirala		421	421	N	Y	N	N	0	2.40	Pipe Line Repair	
3	Durgi	Mallikarjuna Ch. Colony		131	131	N	Y	N	N	0	6.00	Distribution Pipe line	
4	Durgi	Mutukuru		45	45	N	Y	N	N	0	2.40	Extention of Pipe line from Durgi MVS	
5	Durgi	Nidanampadu		32	32	N	Y	N	N	0	2.40	Distribution Pipe Line	
6	Durgi	Rajanagar		78	78	N	Y	N	N	0	2.40	Repairs to existing GLSR	
7	Durgi	Syamarajapuram		88	88	N	N	N	N	0	6.00	New Source, Motor, Pumping Main and GLSR.	
8	Durgi	Terala		339	339	N	Y	N	N	0	6.00	Extention of Pipe Line from Durgi MVS	
9	Macherla	B.K.V.Palem		403	403	N	Y	N	N	0	3.60	Extention of Pipe line from Anupu MVS and Augmentation of MPWS	
10	Macherla	Bodanampadu		134	134	N	Y	N	N	0	5.40	Extention of Pipe line from Anupu MVS and Augmentation of MPWS.	
11	Macherla	Dwarakapuri		60	60	N	Y	N	N	0	6.00	GLSR and Extention of Pipe line from Anupu MVS.	
12	Macherla	Gowda Colony		98	98	N	Y	N	N	0	2.40	New Source.	
13	Macherla	Koppanur		31	31	N	N	N	N	0	6.00	GLSR and Extention of Pipe line from Anupu MVS.	
14	Macherla	Kothapalli		42	42	N	Y	N	N	0	2.40	Extention of Pipe line from Anupu MVS.	
15	Macherla	Nehru Nagar		129	129	N	Y	N	N	0	3.00	GLSR Required	
16	Macherla	Pasuvemula		44	44	N	N	N	N	0	6.00	New Source, Motor, Pumping Main and GLSR.	
17	Macherla	Pedda Anupu		114	114	N	Y	N	N	0	6.00	Extention of Pipe line from Anupu MVS and Augmentation of MPWS.	
18	Veldurthy	Bothukulapai		156	156	N	Y	N	N	0	6.00	Augmentation of	

												MPWS Scheme.	
19	Veldurthy	Chinnaparlapai		212	212	N	N	N	N	0	6.00	Augmentation of MPWS Scheme.	
20	Veldurthy	Davupalli		328	328	N	Y	N	N	0	3.00	New Source	
21	Veldurthy	Errabalem		111	111	N	Y	N	N	0	4.80	New Source and Cistern	
22	Veldurthy	Gottipalla		67	67	N	Y	N	N	0	2.40	Extention of Pipe Line from jerrivagu MVS.	
23	Veldurthy	Gudipaduche ruvu		0	0	N	Y	N	N	0	6.00	Pumping main and GLSR.	
24	Veldurthy	Hanumapuram		219	219	N	Y	N	N	0	4.80	New source and Repairs to existing GLSR	
25	Veldurthy	Jendapenta		95	95	N	Y	N	N	0	3.00	GLSR Required	
26	Veldurthy	Kunkuduchet tupenta		57	57	N	N	N	N	0	6.00	New GLSR	
27	Veldurthy	Loyapalli		220	220	N	Y	N	N	0	12.00	New source, Motor, Pumping Main and GLSR	
28	Veldurthy	Mandadi		106	106	N	Y	N	N	0	6.00	New source, Motor, Puping main and GLSR.	
29	Veldurthy	Mittameedipalli		103	103	N	Y	N	N	0	6.00	New Source Motor, Pumping main and GLSR.	
30	Veldurthy	Rachamallapadu		60	60	N	N	N	N	0	6.00	New Source, Motor Pumping main and GSLR.	
31	Veldurthy	Ramachandrapuram		25	25	N	Y	N	N	0	2.40	New source and motor	
32	Veldurthy	Shivalingapuram		146	146	N	Y	N	N	0	6.00	Pumping main and GLSR.	
33	Veldurthy	Srirampuram Thanda		53	53	N	Y	N	N	0	2.40	Extention of Pipe line from source to GLSR	
34	Veldurthy	Vajralathanda		228	228	N	Y	N	N	0	7.00	Augmentation of MPWS Scheme	
35	Veldurthy	Veldurthy		207	207	N	Y	N	N	0	6.00	Extention of Pipe line from jerrivagu MVS	
36	Bollapalli	Ayyannapalem		60	60	N	Y	N	N	0	7.20	New Source, Motor, Pumping Main and GLSR.	
37	Bollapalli	Papayyapalem		48	48	N	Y	N	N	0	7.20	New Source, Motor, Pumping Main and GLSR.	
38	Bollapalli	Ravulapuram		55	55	N	Y	N	N	0	7.20	New Source, Motor, Pumping Main and GLSR.	
39	Bollapalli	Reddy Palem									7.20	New source, Motor Pumping main and GLSR.	
40	Bollapalli	Remidicherla		403	403	N	Y	N	N	0	2.40	Internal Distribution pipe line.	
41	Bollapalli	Vellatur		207	207	N	Y	N	N	0	7.20	New Source, Motor, Pumping Main and GLSR.	
42	Karampudi	Voppicherla		182	182	N	Y	N	N	0	3.00	GLSR Bore Well & Motor required	
43	Rentachintala	Manchikallu		101	101	N	N	N	N	0	7.20	New Source, Motor, Pumping Main and GLSR.	
		Total:		**5764**	**5764**						**218.80**		
District : Prakasam													
1	Giddalur	Magutur		49	49	N	N	N	N	0.0	7.20	GLSR	Required

										0			
2	Ardhaveedu	Bommilingam		214	214	N	Y	N	N	0.00	3.00	Bore, Motor	Required
3	Ardhaveedu	Gannepalli		34	34	N	N	N	N	0.00	3.00	Cistern	Required
4	Ardhaveedu	Rangapuram ch. Colony		49	49	N	N	N	N	0.00	7.20	GLSR	Required
5	Ardhaveedu	Yachavaram colony		274	274	N	N	N	N	0.00	3.60	GLSR	Required
6	Markapur	Jammanapalli		64	64	N	N	N	N	0.00	7.20	GLSR	Required
7	Markapur	P.Nagulavaram		144	144	N	Y	N	N	0.00	10.80	GLSR	Required
8	Dornala	Balijepalli		68	68	N	N	N	N	0.00	8.40	GLSR	Required
9	Dornala	Bramaraba colony		396	396	N	Y	N	N	0.00	2.40	Bore, Motor	2 Bores, Motor
10	Dornala	Chenchu kunta		73	73	N	N	N	N	0.00	7.20	GLSR	Required
11	Dornala	Cheruvu gudem		478	478	N	N	N	N	0.00	10.80	GLSR	Required
12	Dornala	Chinnarutla		155	155	N	N	B.W	N	0.00	10.80	GLSR	Required
13	Dornala	Korraprolu		353	353	N	Y	B.W	N	0.00	4.80	Bore, Motor	Required
14	Dornala	Kothuru		121	121	N	N	B.W	N	0.00	7.20	GLSR	Required
15	Dornala	Nallaguntla		121	121	N	Y	B.W	N	0.00	1.20	Bore, Motor	Required
16	Dornala	Panukumadugu		179	179	N	N	B.W	N	0.00	10.80	GLSR	Required
17	Dornala	Pedachema		62	62	N	N	B.W	N	0.00	7.20	GLSR	Required
18	Dornala	Pedda manthanala		289	289	N	Y	B.W	N	0.00	30.00	OHSR	Required
19	Dornala	Pedda manthanala cheruvu gudem		160	160	N	Y	B.W	N	0.00	10.80	GLSR	Required
20	Dornala	Peddapenta		78	78	N	N	B.W	N	0.00	1.20	Bore, Motor	Required
21	Dornala	Peddarutla		50	50	N	N	B.W	N	0.00	7.20	GLSR	Required
22	Dornala	Rollapenta		65	65	N	N	B.W	N	0.00	10.80	GLSR	Required
23	Dornala	Sattu thanda		69	69	N	Y	B.W	N	0.00	7.20	GLSR	Required
24	Dornala	Sikharam		58	58	N	N	B.W	N	0.00	7.20	GLSR	Required
25	Dornala	Sundaraiah colony		144	144	N	Y	B.W	N	0.00	2.40	2 Bores	Required
26	Dornala	Thummalabailu		352	352	N	Y	B.W	N	0.00	25.00	OHSR	Required
27	Dornala	Y.Cherlopalli		42	42	N	N	B.W	N	0.00	7.20	GLSR	Required
28	Dornala	Bayanna Swamy gudem		48	48	N	N	--	N	0.00	2.00	Bore well with Motor	Required
29	Peda Araveedu	Chintalamudipi		384	384	N	Y	B.W	N	0.00	24.00	OHSR	Required
30	Peda Araveedu	Gundamcherla		61	61	N	N	B.W	N	0.00	7.20	GLSR	Required
31	Peda Araveedu	Peddaraveedu		103	103	N	Y	B.W	N	0.00	30.00	OHSR	Required
32	Peda Araveedu	Pragallapadu		82	82	N	Y	B.W	N	0.00	7.20	GLSR	Required
33	Pullalacheruvu	Akkapalem		122	122	N	Y	B.W	N	0.00	10.80	GLSR	Required
34	Pullalacheruvu	Chennapalem		244	244	N	N	B.W	N	0.00	10.80	GLSR	Required
35	Pullalacheruvu	Gandi baavi - I		112	112	N	Y	B.W	N	0.00	10.80	GLSR	Required

36	Pullalach eruvu	Gandi baavi - II		427	427	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
37	Pullalach eruvu	Garpenta		910	910	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
38	Pullalach eruvu	Komarolu		307	307	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
39	Pullalach eruvu	Marrivemula		176	176	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
40	Pullalach eruvu	Millampalli		357	357	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
41	Pullalach eruvu	Murikimalla		180	180	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
42	Pullalach eruvu	Mutukula		51	51	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
43	Pullalach eruvu	Tellagatla		134	134	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
44	Pullalach eruvu	R. Ummadivara m		179	179	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
45	Pullalach eruvu	Yendrapalli		64	64	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
46	Y.Palem	Alatam		39	39	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
47	Y.Palem	Allipalem		170	170	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
48	Y.Palem	Ankammagu dem		298	298	N	Y	B. W	N	0.0 0	1.20	Hand Bore	Required
49	Y.Palem	Bavipenta		40	40	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
50	Y.Palem	Cherlo chenchu gudem		69	69	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
51	Y.Palem	Billagondipe nta		181	181	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
52	Y.Palem	Burugundala		25	25	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
53	Y.Palem	Shanti nagar		140	140	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
54	Y.Palem	Gandhinagar		211	211	N	Y	B. W	N	0.0 0	24.0 0	OHSR	Required
55	Y.Palem	Guttalachenu		163	163	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
56	Y.Palem	Hanumanthu nigudem		239	239	N	N	B. W	N	0.0 0	7.20	GLSR	Required
57	Y.Palem	Istha kameswari chenchu gudem		50	50	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
58	Y.Palem	Narthadikala		19	19	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
59	Y.Palem	Palutla		408	408	N	Y	B. W	N	0.0 0	10.8 0	GLSR	Required
60	Y.Palem	Ponnalabailu		83	83	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
61	Y.Palem	Panthanala		5	5	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
62	Y.Palem	Prakash Nagar		100	100	N	Y	B. W	N	0.0 0	7.20	GLSR	Required
63	Y.Palem	Regulapalli		39	39	N	N	B. W	N	0.0 0	7.20	GLSR	Required
64	Y.Palem	Telugurayani cheruvu		48	48	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required
65	Y.Palem	Venkataredd ypalli		257	257	N	Y	B. W	N	0.0 0	24.0 0	OHSR	Required
66	Y.Palem	Y.Palem Ch.colony		55	55	N	Y	B. W	N	0.0 0	7.20	GLSR	Required
67	Y.Palem	Yellareddypa lli		53	53	N	Y	B. W	N	0.0 0	7.20	GLSR	Required
68	Y.Palem	Gowthambud duni gudem		120	120	N	N	B. W	N	0.0 0	7.20	GLSR	Required
69	Y.Palem	Punaravasa colony		32	32	N	N	B. W	N	0.0 0	10.8 0	GLSR	Required

70	Y.Palem	Abhayalingaeswamy temple colony		34	34	N	N	B.W	N	0.00	7.20	GLSR	Required
71	Pullalacheruvu	Pullalacheruvu ch. Colony		124	124	N	N	B.W	N	0.00	10.80	GLSR	Required
Total :				**11084**	**11084**						**705.00**		
	Kurnool												
1	Allagadda	Ahobilam		407	407	N	Y	BW	N	0	24.00	OHSR Required	
2	Allagadda	Dorakottala		259	259	N	Y	BW	N	0	3.00	New Pipe line	
3	Chagalamarri	Chagalamarri Ch.Gudem		239	239	N	Y	BW	N	0	24.00	OHSR Required	
4	Kothapalli	Chadarampenta		89	89	N	Y	BW & OW	N	0	10.80	Scheme with Solar power	
5	Kothapalli	Edurupadu		59	59	N	Y	BW	N	0	7.20	Defunct long back	
6	Kothapalli	Janala Ch.gudem		94	94	N	Y	BW	N	0	10.80	Scheme with Solar power	
7	Kothapalli	Pedda Gummadapuram		172	172	N	Y	BW	N	0	7.20	GLSR Required	
8	Kothapalli	Yerramattam		202	202	N		BW	N	0	7.20	GLSR Required	
9	Nandikotkur	Nandikotkur Ch.Colony		204	204	N	Y	BW	N	0	7.20	GLSR Required	
10	Pamulapadu	Vempenta		143	143	N	Y	BW	N	0	7.20	GLSR Required	
11	Rudravaram	Chinnayaswamygudem		84	84	N	Y	BW	N	0	7.20	GLSR Required	
12	Rudravaram	Hari Nagaram		272	272	N	N	BW	N	0	7.20	GLSR Required	
13	Atmakur	Amalapuram		76	76	N	Y	BW	N	0	7.20	GLSR Required	
14	Atmakur	Kottalacheruvu		545	545	N	Y	BW	N	0	10.20	Bore,motor & Pipe line required.	
15	Atmakur	Nagaluty		230	230	N	Y	BW	N	0	30.00	Defunct long back	
16	Atmakur	Pecheruvu		597	597	N	Y	BW	N	0	10.80	Scheme with Solar power	
17	B. Atmakur	Onkaram		45	45	N	Y	BW	N	0	7.20	GLSR Required	
		Total :		**3717**	**3717**					**Total**	**188.40**		
		GRAND		**20565**	**20565**						**1112.20**		

		TOTAL ::											

R.P.SISODIA
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER